



Fee: _____

City of Glenpool Driveway/Curb Cut Permit

Owners Name: _____

Project Address: _____

Lot: _____ Block: _____ Addition: _____

Phone Number: _____ E-mail: _____

Contractors Name: _____

Phone Number: _____ E-mail: _____

Commercial Drive/Curb Cut

Residential Drive/Curb Cut

Applicants Signature: _____ Date: _____

Approvals:

(Building Official)

Date

(City Planner)

Date

(City Engineer)

Date

Fee: _____

City of Glenpool Driveway/Curb Cut Permit

City of Glenpool Driveway Requirements

Commercial

- All commercial driveways shall be constructed using concrete with a minimum 28-day compressive strength of 3500 psi.
- The curb-return radius shall be a minimum of 12 feet.
- Reinforcement shall be a minimum of #4 rebar on 16-inch centers.
- Concrete shall be a minimum of 6 inches thick.
- Schedule an inspection prior to concrete placement by calling 918-209-4610

See attached drawing from City of Glenpool Engineering Standards

Residential

- All residential driveways shall be constructed using concrete with a minimum 28-day compressive strength of 3000 psi.
- The curb-return radius shall be a minimum of 5 feet.
- Concrete shall be a minimum of 4 inches thick.
- Schedule an inspection prior to concrete placement by calling 918-209-4610

Submittal Items

- Completed driveway permit application
- Site plan showing lot dimensions, existing structures on lot with dimensions, any existing driveways with dimensions, any existing driveway culverts with dimensions (i.e. diameter and length)

Fee: _____

City of Glenpool Driveway/Curb Cut Permit

